2025/11/04 19:20 1/3 Fonts

Fonts

Context

LibreCAD uses its own font format for various reasons. Based on its roots in QCAD, which used its own CXF format, LibreCAD enhanced this format in LFF (LibreCAD Font Format).

Deployment

LibreCAD comes with a collection of common used fonts. Some of them are contributions from our community, others are converted from TTF fonts with our command line conversion tool ttf2lff.

When LibreCAD is installed from a binary package, chances are good, that the fonts are installed properly, and that they are available in text tools.

Their location depends on the used operating system.

If you have converted your own fonts, you can add an additional path in *Application Preferences*, that you can keep them separated from the deployed fonts.

For users who build LibreCAD themselves, they can find the font files on our Github repository

Sharing drawings with text

Because LFF is a LibreCAD feature, other CAD applications probably can't show texts in DXF drawings. To share DXF with text with other CAD applications, create a copy of the drawing and explode all text. This makes them basic entities again and allow other CAD applications to show the text. The back draw is, that the exploded text is no longer editable as text.

Font list

Deployed

Font File	Font Type	Technical / Single Line
amiri-regular.lff	Serif	
azomix.lff	Sans Serif	X
azomix_i.lff	Sans Serif	X
cursive.lff	Sans Serif	X
cyrillic_ii.lff	Sans Serif	X
gothgbt.lff	Blackletter / Gothic	
gothgrt.lff	Blackletter / Gothic	
gothitt.lff	Blackletter / Gothic	
greek_ol.lff	Greek Lettering	

Font File	Font Type	Technical / Single Line
greekc.lff	Greek Lettering	
greekcs.lff	Greek Lettering	
greekp.lff	Greek Lettering	
greeks.lff	Greek Lettering	X
iso.lff	Sans Serif	X
iso3098.lff	Sans Serif	X
iso3098_i.lff	Sans Serif	X
italicc.lff	Serif	
italiccs.lff	Serif	
italict.lff	Serif	
kochigothic.lff	Sans Serif	
kochimincho.lff	Serif	
kst32b.lff	Sans Serif	X
lc_opengost-ar.lff	Sans Serif	X
lc_opengost-br.lff	Sans Serif	X
opengosttypea-regular.lff	Sans Serif	X
opengosttypeb-regular.lff	Sans Serif	X
romanc.lff	Serif	
romancs.lff	Serif	
romand.lff	Sans Serif	
romanp.lff	Serif	
romans.lff	Sans Serif	X
romansi.lff	Sans Serif	X
romant.lff	Serif	
scriptc.lff	Formal Script	
scripts.lff	Formal Script	
simplex.lff	Sans Serif	X
standard.lff	Sans Serif	X
syastro.lff	Symbol	
symap.lff	Symbol	
symath.lff	Symbol	
symbol.lff	Symbol	
symbol_misc1.lff	Symbol	
symbol_misc2.lff	Symbol	
symeteo.lff	Symbol	
symusic.lff	Symbol	
unicode.lff	Sans Serif	X

Additional

Font File	Font Type	Technical / Single Line
wqy-unicode.lff	Sans Serif	

Examples

2025/11/04 19:20 3/3 Fonts

From 2.1.3

• DXF showing all fonts -

LibreCadFonts 2.1.3.dxf

• PDF export from this DXF -

LibreCadFonts 2.1.3.pdf

• PNG export from this DXF -

Compiler GNU GCC 4-9:1 Compiled on Sep 23 2015 Dt Version 5-4:1 Bosst Version 160.0 System Windows 7 amiri-regular.lff - T AMIRI-REGULAR.LFP azonix.lff - The qui

amiri-regular.iff - The quick brown for jumps over the lazy dog. 0123456789
AMIRI-REGULAR.LPF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? I@*SN*&*() azomix.lff - The quick brown fox jumps over the lazy dog. 0123456789 AZOMIX.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 198157-54() azomix_i.lff - The quick brown fox jumps over the lazy dog. 0123456769 AZOMIX_i.ff - THE QUICK BROWN FOX JUMPS OVER THE (AZY DOS. 7 (8 # 5% 4# () cursive Iff - The quick brown fox jumps over the lazy dog. 0123454789 CURSIVE LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? (@#\$%"&#() - The quick brown fox jumps over the lazy dog 0123456789
FF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7 19845%"S. gothgbl.Hf - The quick brown for jumps over the laxy beg. 0123436789 sected EFF - The quick brown for sumpe over the EAZY bed. ? 10/5%1&*() parbart.Hff — Zhe quief brown fag jampf ever the fajo bas. 0123436788 ©CZOGRZ.203 — ZOG ZUZGE RECOME DON ZURBE CHER ZOG XX39 DOS. ? 10/\$515.4"() pathill.Hff — Che quiek brown far jumps over the lays bas, 0123456788 GODDICOLIERE — CHE QUICK DROUD ROX ZURBES OVER CHE GHAU DOS. ? 10/\$5154."() greek_stiff greek_oLiff - The quick brown fex jumps over the lazy dog. 0123450700 ORECE.OLIFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ↑ 180...4.4() φτάτιπ ησεελγμέζ - Τθε ρφιγλ βσοφέ ζοω κφυπτ όχεσ υθε μα... δοη. 0123456789 ΗΣΕΕΛΓ.ΜΖΖ - ΤΘΕ ΡΦίΓΛ ΒΕΟΦΙ ΖΟΩ ΚΦΝΠΤ ΌΧΕΕ ΤΘΕ ΜΑ.. ΛΟΗ. ? 10φ\$π?&*() gressis ησελητ.μες - Τθε ρυγηλ βσούς (ου κυμπτ οχεσ υθε μαι. δοη. 0123450789 ΗΣΕΕΛΙΤ.ΜΙΖ - ΤΘΕ ΡυίτΑ ΒΕΟΘΈ ΖΟΟ ΚΕΝΙΤ ΟΧΕΣ ΤΘΕ ΜΑΙ. ΔΟΝ. ? 1945*1*Α*() Θεερί Η ΕΕΕΛΙΜΙΖ - ΤΘΕ ΡυίτΑ ΒΕΟΘΕ ΖΟΟ ΚΕΝΤΙ ΟΧΕΣ ΤΘΕ ΜΑΙ. ΔΟΝ. ? 1945**1*Α*() Η ΕΕΕΛΙΜΙΖ - ΤΘΕ ΡυίτΑ ΒΕΟΘΕ ΖΟΟ ΚΕΝΤΙ ΟΧΕΣ ΤΘΕ ΜΑΙ. ΔΟΝ. ? 1945**(18*) φηθεί!! ησεελτ.μέζ - Τθε ρφιγλ βσοψέ ζου κφυπτ όχεο υθε μα» δοη. 0123456789 ΗΣΕΑΤ.ΜΖΖ - ΤΘΕ ΡΦΙΓΛ ΒΣΟΨΞ ΖΟΩ ΚΦΝΠΤ ΟΧΕΣ ΤΘΕ ΜΑ» ΔΟΗ. ? !@#\$\$τι&*() isoIff - The quick brown fox jumps over the lazy dog 0123456789 ISOLFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? (8*5%*&*I) iso3098.Iff - The quick brown fox jumps over the lazy dog. 0123456789 ISO3098.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? (0=856.) ISO3098 ILLEE - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 9 123456789 italicc.lff - The quick brown for jumps over the lazy dog. 0123456789 ITALICC.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? !@#\$%~&*() $italices. Iff-The~quick~brown~foz~jumps~over~the~lazy~dog.~0123456789\\ITALICES. LFF-THE~QUICK~BROWN~FOX~JUMPS~OVER~THE~LAZY~DOG.~?~10\#$%71&*()$ italict.Iff - The quick brown fox jumps over the lazy dog. 0123456789 ITALICT.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7 1058%"&*() keobigethic.Iff - The quick brown fox Jumps over the lazy dog. 9123456789 KOCHIQOTHIC.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? IBS...&X() kochimincho.lff - The quick brown fox jumps over the lazy dog. 0123456789 KOCHIMINCHO.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7 1@#\$%^&*() MRITID.Iff The outck brown fox Jumes over the lazy dop. 0125456789 MRITIDELIFF THE OUTCK BROWN FOX JUMPS SYER HELLATY DOD. 7 /RFSK*6*() KL.DOMOGIO-ANTH The Quick Drown fox jump over the lozy dop COZIASGN89 IC_DYNOCSI-ANSH- Net DOCK BROWN FOX JUMPS DOER HELLATY DOD. 7 @MRITING* IC_OPENGOST-BRIFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG ? IQWS%"&" OpenGostTypeA-Regular.Iff - The quick brown fox jumps over the lazy dog 0123456789
DPENGOSTTYPEA-REGULAR.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? '@M#%%'&*() OpenGostTypeB-Regular.Iff - The quick brown fox jumps over the lazy dog 0123456789

OPENGOSTTYPEB-REGULAR.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG ? (\$8456'8+1)

romanc.Hf - The quick brown fox jumps over the lazy dog. 0123456789 ROMANC.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#\$%74~() romancs.Iff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANCS.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#\$%1&*() romand.Iff — The guick brown fox jumps over the lazy dog. 0123-456789
ROMAND.LFF — THE QUICK BROWN FOX JUMPS OVER THE LAZY 'DOG. 7: 10945%:64*()
romanp.lff — The quick brown fox jumps over the lazy dog. 0123-456780
ROMANP.LFF — THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7: 10945%:6*() romans.iff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANS.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? !@#\$%~&*(romansiJff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANSI,LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? !@f\$x^&*() romant.Hff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANT.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#8%:&*() seriple-lift - The quick beaun fee jamps ever the layy day. 0123456789
JERJPSE-199 - TRE 2016K RROWN FOX JURPS OVER THE LAIN 200. ? !@#8%ta*() simplex.Hff - The quick brown fox jumps over the lozy dog, 0123456789 SMPLEX.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? I@#\$%~&*() standardiff - The quick brown fox jumps over the lazy dog 0123456789 STANDARDLFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10HSN"S+1 $\left\{ s_{i} \prod_{i} s_{j}^{2} \otimes A_{i} f - C = \sqrt{\left[\int_{\mathbb{R}} \partial_{x}^{2} + \int_{\mathbb{R}} \left(\sqrt{\sum_{i} f} \int_{\mathbb{R}} \int_{\mathbb{R}} \left(\sqrt{\sum_{i}$ SYMBOLISS ON SECTION OF THE STICK SPOUN OF THE VICTOR OF THE ARCY CO. 0123456789 SYMBOLARO - THE STICK SPOON OF SYMBOLOGET THE ARCY LOT. ? WESTER! \$\text{special}\$\$ \$\text{V} = \text{V} = \te unicode1ff - The quick brown fox jumps over the lazy dog. 0123456789 UNICODELFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? (B#45%"&+() wqy-unicode.lff - The quick brown fox jumps over the lazy dog. 0123456789 WQY-UNICODE.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7 1005548*()

Issues

Some fonts have performance issues. This depends on the number of entities defining a single letter. When there are fonts with mostly less than 10 entities per letter, there are others with 50 to well over 100 entities per Letter.

From:

https://dokuwiki.librecad.org/ - Wiki

Permanent link:

https://dokuwiki.librecad.org/doku.php/community:fonts?rev=1691340163

Last update: 2023/08/06 16:42

