

# Fonts

## Context

LibreCAD uses its own font format for various reasons. Based on its roots in QCAD, which used its own CXF format, LibreCAD enhanced this format in LFF (LibreCAD Font Format).

## Deployment

LibreCAD comes with a collection of common used fonts. Some of them are contributions from our community, others are converted from TTF fonts with our command line conversion tool ttf2lff.

When LibreCAD is installed from a binary package, chances are good, that the fonts are installed properly, and that they are available in text tools.

Their location depends on the used operating system.

If you have converted your own fonts, you can add an additional path in *Application Preferences*, that you can keep them separated from the deployed fonts.

For users who build LibreCAD themselves, they can find the font files on our [Github repository](#)

## Sharing drawings with text

Because LFF is a LibreCAD feature, other CAD applications probably can't show texts in DXF drawings. To share DXF with text with other CAD applications, create a copy of the drawing and explode all text. This makes them basic entities again and allow other CAD applications to show the text. The back draw is, that the exploded text is no longer editable as text.

## Font lists

### Deployed

Font File	Alphabet	Font Type	Technical / Single Line
amiri-regular.lff		Serif	
azomix.lff		Sans Serif	X
azomix_i.lff		Sans Serif	X
cursive.lff		Sans Serif	X
cyrillic_i.lff	Cyrillic	Sans Serif	X
gothgbt.lff		Blackletter / Gothic	
gothgrt.lff		Blackletter / Gothic	
gothitt.lff		Blackletter / Gothic	

Font File	Alphabet	Font Type	Technical / Single Line
greek_ol.lff	Greek		
greekc.lff	Greek		
greekcs.lff	Greek		
greekp.lff	Greek		
greeks.lff	Greek		X
iso.lff	Latin	Sans Serif	X
iso3098.lff		Sans Serif	X
iso3098_i.lff		Sans Serif	X
italicc.lff		Serif	
italiccs.lff		Serif	
italict.lff		Serif	
kochigothic.lff		Sans Serif	
kochimincho.lff		Serif	
kst32b.lff		Sans Serif	X
lc_opengost-ar.lff		Sans Serif	X
lc_opengost-br.lff		Sans Serif	X
opengosttypea-regular.lff		Sans Serif	X
opengosttypeb-regular.lff		Sans Serif	X
romanc.lff		Serif	
romancs.lff		Serif	
romand.lff		Sans Serif	
romanp.lff		Serif	
romans.lff		Sans Serif	X
romansi.lff		Sans Serif	X
romant.lff		Serif	
scriptc.lff		Formal Script	
scripts.lff		Formal Script	
simplex.lff		Sans Serif	X
standard.lff		Sans Serif	X
syastro.lff	Symbol		
symap.lff	Symbol		
symath.lff	Symbol		
symbol.lff	Symbol		
symbol_misc1.lff	Symbol		
symbol_misc2.lff	Symbol		
symeteo.lff	Symbol		
symusic.lff	Symbol		
unicode.lff		Sans Serif	X

**Additional**

Font File	Alphabet	Font Type	Technical / Single Line
<a href="#">wqy-unicode.lff</a>	Chinese	Sans Serif	

# Examples

## From 2.1.3

- DXF showing all fonts - [LibreCadFonts\\_2.1.3.dxf](#)
- PDF export from this DXF - [LibreCadFonts\\_2.1.3.pdf](#)
- PNG export from this DXF -

```

Version 2.1.3
Compiler: GNU GCC 4.8.1
Compiled on: Sep 23 2016
Qt Version: 5.4.1
Boost Version: 1.60.0
System: Windows 7

amiri-regular.iff - The quick brown fox jumps over the lazy dog. 0123456789
AMIRI-REGULAR.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
azomix.iff - The quick brown fox jumps over the lazy dog. 0123456789
AZOMIX.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
azomix_1.iff - The quick brown fox jumps over the lazy dog. 0123456789
AZOMIX_1.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
cursive.iff - The quick brown fox jumps over the lazy dog. 0123456789
CURSIVE.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
cyrilic_uff - The quick brown fox jumps over the lazy dog. 0123456789
CYRILIC_UFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
g0tmi1k.iff - The quick brown fox jumps over the lazy dog. 0123456789
G0TMI1K.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
greek.iff - The quick brown fox jumps over the lazy dog. 0123456789
GREEK.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
greek_1.iff - The quick brown fox jumps over the lazy dog. 0123456789
GREEK_1.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
greek_2.iff - The quick brown fox jumps over the lazy dog. 0123456789
GREEK_2.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
greek_3.iff - The quick brown fox jumps over the lazy dog. 0123456789
GREEK_3.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
greek_4.iff - The quick brown fox jumps over the lazy dog. 0123456789
GREEK_4.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
greek_5.iff - The quick brown fox jumps over the lazy dog. 0123456789
GREEK_5.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
iso3098.iff - The quick brown fox jumps over the lazy dog. 0123456789
ISO3098.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
iso3098_1.iff - The quick brown fox jumps over the lazy dog. 0123456789
ISO3098_1.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
italic.iff - The quick brown fox jumps over the lazy dog. 0123456789
ITALIC.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
italic_1.iff - The quick brown fox jumps over the lazy dog. 0123456789
ITALIC_1.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
italic_2.iff - The quick brown fox jumps over the lazy dog. 0123456789
ITALIC_2.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
keoghathis.iff - The quick brown fox jumps over the lazy dog. 0123456789
KEOGHATHIS.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
koshimimicbo.iff - The quick brown fox jumps over the lazy dog. 0123456789
KOSHIMIMICBO.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
k51329.iff - The quick brown fox jumps over the lazy dog. 0123456789
K51329.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
lc_springst-ariff - The quick brown fox jumps over the lazy dog. 0123456789
LC_SPRINGST-ARIFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
lc_springst-br.iff - The quick brown fox jumps over the lazy dog. 0123456789
LC_SPRINGST-BR.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
OpenGosTypeA-Regular.iff - The quick brown fox jumps over the lazy dog. 0123456789
OPENGOSTYPEA-REGULAR.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
OpenGosTypeB-Regular.iff - The quick brown fox jumps over the lazy dog. 0123456789
OPENGOSTYPEB-REGULAR.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()

romanc.iff - The quick brown fox jumps over the lazy dog. 0123456789
ROMANC.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
romancs.iff - The quick brown fox jumps over the lazy dog. 0123456789
ROMANCS.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
romand.iff - The quick brown fox jumps over the lazy dog. 0123456789
ROMAND.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
romans.iff - The quick brown fox jumps over the lazy dog. 0123456789
ROMANS.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
romansl.iff - The quick brown fox jumps over the lazy dog. 0123456789
ROMANSL.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
romant.iff - The quick brown fox jumps over the lazy dog. 0123456789
ROMANT.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
romantl.iff - The quick brown fox jumps over the lazy dog. 0123456789
ROMANTL.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
simplex.iff - The quick brown fox jumps over the lazy dog. 0123456789
SIMPLEX.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
standariff - The quick brown fox jumps over the lazy dog. 0123456789
STANDAR.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()
wqy-unicod.iff - The quick brown fox jumps over the lazy dog. 0123456789
WQY-UNICODE.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#5%*^()

```

# Issues

Some fonts have performance issues. This depends on the number of entities defining a single letter. When there are fonts with mostly less than 10 entities per letter, there are others with 50 to well over 100 entities per Letter.

From: <https://dokuwiki.librecad.org/> - Wiki

Permanent link: <https://dokuwiki.librecad.org/doku.php/community:fonts?rev=1691487738>

Last update: **2023/08/08 09:42**

