2025/11/04 19:20 1/3 Fonts

# **Fonts**

#### **Context**

LibreCAD uses its own font format for various reasons. Based on its roots in QCAD, which used its own CXF format, LibreCAD enhanced this format in LFF (LibreCAD Font Format).

# **Deployment**

LibreCAD comes with a collection of common used fonts. Some of them are contributions from our community, others are converted from TTF fonts with our command line conversion tool ttf2lff.

When LibreCAD is installed from a binary package, chances are good, that the fonts are installed properly, and that they are available in text tools.

Their location depends on the used operating system.

If you have converted your own fonts, you can add an additional path in *Application Preferences*, that you can keep them separated from the deployed fonts.

For users who build LibreCAD themselves, they can find the font files on our Github repository

# Sharing drawings with text

Because LFF is a LibreCAD feature, other CAD applications probably can't show texts in DXF drawings. To share DXF with text with other CAD applications, create a copy of the drawing and explode all text. This makes them basic entities again and allow other CAD applications to show the text. The back draw is, that the exploded text is no longer editable as text.

## **Font lists**

## **Deployed**

Font File	Alphabet	Font Type	Technical / Single Line
amiri-regular.lff		Serif	
azomix.lff		Sans Serif	X
azomix_i.lff		Sans Serif	Х
cursive.lff		Sans Serif	Х
cyrillic_ii.lff	Cyrillic	Sans Serif	Х
gothgbt.lff		Blackletter / Gothic	
gothgrt.lff		Blackletter / Gothic	
gothitt.lff		Blackletter / Gothic	

Font File	Alphabet	Font Type	Technical / Single Line
greek_ol.lff	Greek		
greekc.lff	Greek		
greekcs.lff	Greek		
greekp.lff	Greek		
greeks.lff	Greek		Х
iso.lff	Latin	Sans Serif	Х
iso3098.lff		Sans Serif	X
iso3098_i.lff		Sans Serif	X
italicc.lff		Serif	
italiccs.lff		Serif	
italict.lff		Serif	
kochigothic.lff		Sans Serif	
kochimincho.lff		Serif	
kst32b.lff		Sans Serif	X
lc_opengost-ar.lff		Sans Serif	X
lc_opengost-br.lff		Sans Serif	X
opengosttypea-regular.lff		Sans Serif	X
opengosttypeb-regular.lff		Sans Serif	Х
romanc.lff		Serif	
romancs.lff		Serif	
romand.lff		Sans Serif	
romanp.lff		Serif	
romans.lff		Sans Serif	X
romansi.lff		Sans Serif	X
romant.lff		Serif	
scriptc.lff		Formal Script	
scripts.lff		Formal Script	
simplex.lff		Sans Serif	Х
standard.lff		Sans Serif	Х
syastro.lff	Symbol		
symap.lff	Symbol		
symath.lff	Symbol		
symbol.lff	Symbol		
symbol_misc1.lff	Symbol		
symbol_misc2.lff	Symbol		
symeteo.lff	Symbol		
symusic.lff	Symbol		
unicode.lff		Sans Serif	Х

### **Additional**

Font File	Alphabet	Font Type	Technical / Single Line
wqy-unicode.lff	Chinese	Sans Serif	

2025/11/04 19:20 3/3 Fonts

#### **Examples**

#### From 2.1.3

• DXF showing all fonts -

LibreCadFonts\_2.1.3.dxf

• PDF export from this DXF -

LibreCadFonts 2.1.3.pdf

PNG export from this DXF -

Compiler GNU GCC 4.91 Compiler on Sep 23 2016 Df Version 54.1 Bost Version 150.0 System Windows 7 amiri-regular.iff - Th AMIRI-REGULAR.LPP azomix.lff - The quick AZOMIX.LFF - THE QUICK

amiri-regular.iff - The quick brown fox jumps over the lazy dog. 0123456749
AMIRI-REGULAR.LPF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? Ip+\$N\*&\*() azomix.Iff - The quick brown fox jumps over the lazy dog. 0123456789 AZOMIX.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 188450744[] azomix\_i, [ff - The quick brown fox jumps over the lazy dog. 0123456789 AZOMIX\_i,LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7 (@#\$X\*4\*[] cursive.Iff - The quick brown fox jumps over the lazy dog. 0123454789 CURSIVE.EFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? (@#\$%"&\*!) f - The quick brown fox jumps over the lazy dog 0123456789 LLFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? (B#\$5) gothybi.iff - The quick brown fox jumps over the laxy beg. 0123456786 60086682.EFF - THE QUICE BEOMN FOX BEMPS OVER THE EAZY BOG. ? 1048%14\*() perbart.Iff — The quief brown for jump[ over the lays bog. 0123436789 GCTOGRI.253 — IOC QUIER BROWR BOX BURRY CHER TOC 28439 DOS. ? 10#\$%:4\*() sethill. Iff - Chr quick brawn fax jumps over the lays bes. \$123458788 GODDXCC. RPR - CDB QUXCK DROWD BOX JUMPS OVER CDB DHBU DOG. ? 10/\$\$11&\*() greek\_still greek.oLiff - The quick brown fox jumps over the lazy dog, 0123456789 greek.oLiff - The quick brown fox jumps over the LAZY DOG. 7 No...4\*() gibill hosely,  $\mu \xi \xi = T$  de raind books for each use main son, 0123456789 heeealmee the raind books con Kanit oxee the main son,  $\gamma = 0.8778$  $q_{\text{HSISII}}$  ησεελγτ.μ $\zeta$ ς – Τθε ρ $_{\text{F}}$ Γγλ  $_{\text{F}}$ σοψέ ζοω κ $_{\text{F}}$ νητ οχεσ υθε μαι δοη. 0123456789 ΗΣΕΕΛΓΤ.ΜΖΖ – ΤΘΕ Ρ $_{\text{F}}$ ΓΓΛ ΒΣΟΦΣ ΖΟΩ Κ $_{\text{F}}$ ΝΠΤ ΟΧΕΣ ΤΘΕ Μαι ΔΟΗ. ?  $_{\text{F}}$ Ο $_{\text{F}}$ 8 $_{\text{F}}$ 1 $_{\text{C}}$ \*() φ maxiff η σεελτ.μζζ - Τθε ρ<math>φιγλ β σφξ ζοω κφνητ οχεσ ν θε μαω δση. 0123456789 ΗΣΕΕΛΤ.ΜΖΖ - ΤΘΕ PΦΙΓΛ BΕΟψΞ ZΟΩ ΚΦΝΠΤ ΟΧΕΕ ΤΘΕ MΛω ΔΟΗ. ? !Φβ\$R1φ4ω1) isalff - The quick brown fox jumps over the lazy dog 0123456789 ISOLFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 18\*55\*5\*1) | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 italicc.lff - The quick brown fox jumps over the lazy dog. 0123456789 ITALICC.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? !@#\$%~&\*() italiccs.ff - The quick brown for jumps over the lazy dog. 0123456789
ITALICCS.ff - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 1948\*1&\*() (talicLIff - The quick brown for jumps over the lasy dog, 0123456789 |
ITALICT.LFF - THE QUICK BROWN FOX JUMPS OVER THE LASY DOG. 7:09;8%-&\*() |
keeligsblo.lff - The quick brown fox jumps over the lasy dog, 0123456789 |
ROGHROTHOLIFF - THE QUICK BROWN FOX JUMPS OVER THE LASY DOG. 7:08...&x() kochimincho.lff - The quick brown for jumps over the lazy dog. 0123456789 KOCHIMINCHO.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7 1@#\$%^&\*() kst32b.lff - The ouldk brown fox Jumps over the lazy dog. 0023456789 KST32B.LFF - THE QUCK BROWN FOX JUMPS OVER THE LAZY DOG. 7 /8#\$6.8\*() It\_opengest-on1ff - The quick brown fox jumps over the lozy day D12N456789
IE\_OPENGOST-ARUFF - THE QUICK BROWN FDX JUMPS OVER THE LAZY DOG ? #GMSTN\*&\*8 Ir\_opengost-briff - The quick brown fox jumps over the lazy dag 0123456789 LC\_OPENGOST-BRIFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7 1884514-8-10 OpenGostTypeA-RegularIff - The quick brown fox jumps over the lazy dog. 0723456789 DPENGOSTTYPEA-REGULARLEF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10H15N\*8+01 OpenGostType8-RegularIff - The quick brown fox jumps over the lazy dog. 0123456189 DPENGOSTTYPE8-REGULARLFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? (B#\$%"&\*|)

romanc.Iff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANC.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#\$%74\*() romancs.lff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANCS.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 109\$%1:&\*() romandJff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANDJFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#\$%:4\*() romanp.iff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANP.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? !@#\$\tau^\*() romans.lff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANS.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#\$\$7-&\*() The quick brown fox jumps over the lazy dog. 0123456789 - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? (@#\$\$\tau^\*()) romant.Hff - The quick brown fox jumps over the lazy dog. 0123456789 ROMANT.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 10#8%1&\*() seripte. Iff - The quick brown for jumps over the lagg day. 0123456789
FERJPTE 299 - THE SUTEX RESULT FOR JUMPS OVER THE ZASU 200. ? !@#87:4\*() socials. (14 - The guick boson for jumps over the large day. 0123456789 box8975.237 - The Busch drown for jumps over The Lagy Bob. ? '0#871&\*() SIMPLEX.FF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? IMF\$X^&\*() standardiff - The quick brown fox jumps over the lazy dog 0123456789 STANDARDLFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. ? 48#8%"S  $\left\{ u_{\Pi} + \left\{ u_{n} \right\} f - c = \sqrt{\left[ \left( \frac{1}{2} \partial_{\theta} + \frac{1}{2} \right) \left( \sqrt{\sum f \left( \int f \right) \Pi} \right) \right]} \left( \left( \sqrt{\gamma} \right) \right] \right\} = \sqrt{3} + \infty \sqrt{f}$ . 0123456789 ONDBOARD - The WICK BROWN DOE SYNDS ONED THE RECY COV. 0123456789 2498000.00 - THE BICKE BROWN DOE SYNDS OCEP THE BAZY BOT. 7 142318-0 | Manual | symbol\_misc21ff ...... \$pachill \$\text{QP-dObs.jee} = -m\a Odbs \cdot \ wqy-unicode.lff - The quick brown fox jumps over the lazy dog. 0123456789 wqy-UNICODE.LFF - THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG. 7 18#5%^&\*()

#### **Issues**

Some fonts have performance issues. This depends on the number of entities defining a single letter. When there are fonts with mostly less than 10 entities per letter, there are others with 50 to well over 100 entities per Letter.

From:

https://dokuwiki.librecad.org/ - Wiki

Permanent link:

https://dokuwiki.librecad.org/doku.php/community:fonts?rev=1691487738

Last update: 2023/08/08 09:42

