

Main Window Menu GUI API Functions

[Github Link](#)

```
namespace lc::ui::api
```

Add Menu

Description

Add a menu to the MenuBar of the Main Window. Menu is an instance of the Menu GUI class. Will not add if another menu of the same label already exists.

- `lc::ui::api::Menu* addMenu(const std::string& menuName);`

- Parameters :-
 1. Menu Name - **Name/Label** of the menu to be added.
- Returns :-
 - **Pointer to the menu** added to the menu bar.

- `void addMenu(lc::ui::api::Menu* menu);`

- Parameters :-
 1. **Pointer to menu** to be added.

Examples

- `local menu1 = mainWindow:addMenu("Test")`

- `local menu1 = gui.Menu("Test")
mainWindow:addMenu(menu1)`

Get Menu

Description

Return pointer to menu of the given name or position present in the menu bar.

- `lc::ui::api::Menu* menuByName(const std::string& menuName)`
 - Get menu by name/label
 - Parameters :-
 1. Menu Name - **Name/Label** of the menu to be returned.
 - Returns :-
 - **Pointer to the menu** of the given name in the menu bar.

- `lc::ui::api::Menu* menuByPosition(int pos)`
 - Get menu by position
 - Parameters :-
 1. Position (int) - **Position** of the menu in the menu bar (Starting from 0 on the left most menu)
 - Returns :-
 1. **Pointer to menu** of the given position in the menu bar.

Examples

- `local menu1 = mainWindow.menuByName("Test")`

- `local menu2 = mainWindow.menuByPosition(2)`

Remove Menu

Description

Remove menu of the given name or at the given position from the menu bar. Does nothing if menu does not exist in the menu bar.

- `void removeMenu(const char* menuLabel)`
 - Remove menu of the given name/label
 - Parameters :-
 1. Menu Name - **Name/Label** of the menu to be removed.

- `void removeMenu(int position)`

- Remove menu at the given position in the menu bar.
- Parameters :-
1. Position (int) - **Position** of the menu in the menu bar (Starting from 0 on the left most menu)

Examples

- `mainWindow:removeMenu("Test")`

- `mainWindow:removeMenu(2)`

Find Menu Item

Description

Find and return the first menu item found of the given **label/object name** present in any of the menus recursively (menu bar as well as menus inside other menus).

- `lc::ui::api::MenuItem* findMenuItem(std::string label)`

- Find menu item of the given label
- Parameters :-
1. Menu Item Name - **Name/Label** of the menu item to be found.

- `lc::ui::api::MenuItem* findMenuItemByObjectName(std::string objectName)`

- Find menu item of the given qt object name.
- Parameters :-
1. Object name - **Qt object name** of the menu item to be found.

Examples

- `local item1 = mainWindow:findMenuItem("Ellipse")`

- `local item2 = mainWindow:findMenuItemByObjectName("actionNew")`

From:
<https://dokuwiki.librecad.org/> - Wiki

Permanent link:
https://dokuwiki.librecad.org/doku.php/dev:v3:gui_api:menu:main_window?rev=1594014755

Last update: **2020/07/06 05:52**

